Sani Jon_® SJHD 450 Manufactured by Porta John®

www.Toilets.com

Explanation of the Different Characteristics of the Porta John_® Brand Drop Tank Toilet

Table of Contents

Model FPT 300 Original Folding Portable Toilet Page 2

Model GJ 350 Green John® Portable Toilet Page 3

Model SJHD 450 Sani Jon® Portable Toilet Page 4

Model SJHD 450DV Sani Jon® Portable Toilet Page 5 Dump Valve Model

What is Included with Every Sani Jon® and Green John® Page 6

Porta John® Portable Toilet Deodorizer Page 7

EMJ 2075 Portable Toilet Deodorizer Mixing Instructions Page 8

Explanation of the Different Characteristics of the Porta John_® Brand Drop Tank Toilet

The unique characteristics of Model FPT 300 original folding portable toilet are:

Dimensions 41" (1.04m) x 41" (1.04m) x 84" (2.90M) Holding Tank Capacity 65 Gallon (260 liters)

Ships Completely Assembled in the Folded Position. Flip Top Holding Tank Allows for Complete Cleaning and Inspection For Trash



10 Complete Model FPT 300









Flip Top Holding Tank

Assembles and disassembles in less than 3 minutes









Holding tank fits through the Model FPT 300 door.



Explanation of the Different Characteristics of the Green John® Model GJ 350 Brand Drop Tank Toilet

The unique characteristics of Model GJ 350 folding portable toilet are:

Dimensions 41" (1.04m) x 41"(1.04m) x 84" (2.90m) Holding Tank Capacity 65 Gallon (260 liters)

100 Percent Aluminum Covered Corners and Edges

The Doorjamb is Aluminum All Corners Are Covered by 2" Aluminum Angles Floor is Plastic Covered Threshold & Kick -Plate are Galvanized Steel 4 Stainless Steel Door Hinges Unit Anchored to Floor with 11 Steel Bolts Floor Anchored to 4" by 4" Treated Runners by 4 - 6" Steel Bolts

The Green John® is shipped 80% assembled and 50 can be shipped in a 20' container.





Aluminum Covered Edges



Holding Tank Has a Flip Top Lid for Safety and Easy Cleaning

GJ 350 Can be Fitted With a Dump Valve for a Shower or Waste Disposal



Economical, Attractive Designed for Low Maintenance Light-Enhancing Roof 41" x 41" x 80" 186 lbs.


The Green John $\ensuremath{\mathbb{R}}$ is shipped 80% assembled and 50 can be shipped in a 20' container.

Explanation of the Different Characteristics of the Sani Jon_® Model SJHD 450 Brand Drop Tank Toilet

The unique characteristics OF Model SJHD 450 portable toilet are: Dimensions 44" (112cm) x 44" (112cm) x 89" (239cm) Holding Tank Capacity 68 Gallon (268 liters)



Exterior Aluminum Corner



Interior Aluminum Corner

The Sani Jon® has double covered corners and is manufactured to be both versatile and sturdy to allow for years of use. It is fitted with dump valves, showers, comfort stations and hand wash sinks. The Sani Jon® is shipped 80% assembled



Model SJHD 450



SJS 450



SJCS 600

and 40 can be shipped in a 20' container.



SJHD 450S



Holding Tank With Dump Valve Attachment

Toilets.com, Inc. *featuring* Porta John® Brand Products Ph. 800-521-6310 (US) 4 Ph. 1-586-739-4611 (Int'l) E-Mail: info@toilets.com Web Page: www.toilets.com

Sani Jon ® Dump Valve Model SJDV 450



SJDV 450 – Under-Section Dump Assembly



Rear View Of Dump Valve With Cap



SJHD 450TMSS Trailer Mounted Side Sink



SJHD 450DV Rear View of Dump Valve

Front View of Trailer Mounted SJHD 450 With Dump Valve



Each Dump Valve Equipped Sani Jon® is shipped with the dump assembly attached to the toilet floor platform. Dump hose is shipped in the holding tank.

All trailer mounted HD450 Units can be fitted with a dump valve.

Toilets.com, Inc. featuring Porta John® Brand Products Ph. 800-521-6310 (US)5Ph. 1-586-739-4611 (Int'l) E-Mail: info@toilets.comWeb Page: www.toilets.com

What is Included with Every Sani Jon®

www.PortaJohn.com Portable Toilet Consumables

www.toilets.com





www.handsanitizers.com

Hand Sanitizer Refill Included in the Consumables Package

www.handsanitizers.com www.toilets.com Hand Sanitizer Dispenser Included in the Consumables Package



Jumbo Toilet Tissue Holder Paper Included with Installation

> Equivalent to Five Standard Rolls of Toilet Paper



Toilets.com, Inc. featuring Porta John® Brand Products Ph. 800-521-6310 (US)6Ph. 1-586-739-4611 (Int'l) E-Mail: info@toilets.comWeb Page: www.toilets.com

PortableToiletChemicals.com ToiletChemicals.com



When ordering with a portable toilet purchase, we ship 1 drum in 11 - 5 Gallon pails at the drum price. This reduces the freight cost by reducing the cu. ft. The chemical ratio is 1 to 100 gallons of water. To request a quote e-mail:

info@toilets.com

Two 5 Gallon pails can ship in any of our portable toilet holding tanks. The chemical mixing ratio is 1 to 100 gallons of water. To request a quote please E-mail: info@toilets.com





The handy One Gallon size container of our EMJ 2075 mixing ratio is 1 to 100 and will work in RV and/or portable toilets. Please feel free to E-mail: info@toilets.com

Toilets.com, Inc. featuring Porta John® Brand Products Ph. 800-521-6310 (US)7Ph. 1-586-739-4611 (Int'l) E-Mail: info@toilets.comWeb Page: www.toilets.com



Portable Restroom Deodorizer CONCENTRATE

MIXING AND USE DIRECTIONS

EMJ2075-F masks the odor in portable toilet holding tanks. Use in 5 gallons (20 liters) of water, leaving behind a fresh scent. Our chemical will keep a constant deep blue color. The resulting solution can also be used to clean and deodorize the entire unit.

Use the method that works best for you:

Heat/Traffic	RTU Mix	Conc Use
Moderate & Low-Medium	3 - 6 oz	1 - 3 oz
	(90-180 ml)	(30-90 ml)
Moderate & Heavy	4 – 8 oz	1 - 4 oz
	(120-240 ml)	(30-120 ml)
Extreme & Low-Medium	4 – 8 oz	1 - 4 oz
	(120-240 ml)	(30-120 ml)
Extreme & Heavy	8 - 12 oz	3 - 8 oz
	(240-360 ml)	(90-240 ml

DISPOSAL AND STORAGE

- Triple rinse container.
- Dispose of in sanitary landfill or by method approved by state and local authorities.

DO NOT CONTAMINATE WATER, FEED OR FOOD ALWAYS KEEP CONTAINER CLOSED WHEN STORED MADE IN THE USA

KEEP OUT OF REACH OF CHILDREN

CAUTION; DO NOT INGEST. PROTECT EYES AND SKIN FROM CONTACT WITH THIS CHEMICAL. USE EXTREME CARE WHEN HANDLING THIS PRODUCT – THIS PRODUCT WILL STAIN. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR AS THIS MAY CAUSE ALLERGIC REACTION.

FIRST AID:

For Ingestion: Drink 1 - 2 glasses of water. Induce vomiting by sticking finger down throat or by giving soapy or salty water to drink. Repeat until vomit is clear and call a physician. Never give anything by mouth to an unconscious person.

Eye Contact: Immediately flush with water. Consult a physician immediately.

For Inhalation: Remove person to fresh air. If breathing is difficult, give oxygen. Call a physician.

Skin Contact: Immediately flush with water. Remove and wash contaminated clothing and footwear. If irritation occurs, consult a physician.